ACL Laboratories Respiratory Virus Activity Report

Updated: December 13, 2023




RESPIRATORY PATHOGEN POSITIVITY RATE - JANUARY 2023 - DECEMBER 9, 2023																								
MONTH	FLU A UnSub	FLU A (H1N1)	2009 H1N1	FLU A H3N2	FLU B	RSV A/B	PARA 1	PARA 2	PARA 3	Para 4	COR 229E	COR NL63	COR OC43	COR HKU1	SARS- CoV-2	Human META	E/R	Adeno	BOCA	Chlamydo phila	Myco plasma	B. pertussis	B. paraper	Legionella #Pos
DEC 2023	6.6	0.0	2.6	0.8	0.6	9.7	1.1	0.3	0.0	0.4	0.1	0.1	1.4	0.0	13.3	0.8	15.0	5.9	N/A	0.0	0.4	0.0	0.0	0
NOV 2023	2.6	0.0	0.5	0.5	0.3	8.7	1.6	0.6	0.4	0.9	0.0	0.0	0.4	0.1	11.8	0.4	16.8	5.7	0.0	0.0	0.5	0.0	0.3	0
OCT 2023	0.6	0.0	0.2	0.0	0.1	3.3	2.4	0.8	0.3	1.0	0.1	0.1	0.2	0.0	8.9	0.5	19.1	2.6	0.3	0.0	0.4	N/A	N/A	2
SEP 2023	0.4	0.0	0.1	0.0	0.2	0.7	1.2	1.0	0.4	0.4	0.0	0.0	0.1	0.0	11.7	0.7	24.0	1.8	0.5	0.0	0.1	N/A	N/A	1
AUG 2023	0.5	0.0	0.4	0.0	0.2	0.4	0.4	1.4	1.6	0.5	0.0	0.0	0.7	0.0	12.4	2.9	13.3	2.3	0.4	0.0	0.0	N/A	N/A	0
JUL 2023	0.6	0.0	0.0	0.1	0.2	0.4	1.2	1.7	1.5	0.9	0.0	0.3	0.0	0.0	6.5	3.1	11.1	2.4	0.2	0.0	0.0	N/A	N/A	4
JUN 2023	0.5	0.0	0.1	0.0	0.5	0.3	0.8	1.6	5.2	0.0	0.1	0.1	0.1	0.0	4.6	0.5	11.3	3.5	0.3	0.0	0.0	N/A	N/A	3
MAY 2023	0.6	0.1	0.2	0.0	0.6	0.2	0.5	1.1	6.8	0.1	0.1	0.9	0.1	0.1	5.8	3.2	17.1	3.2	0.5	0.0	0.0	N/A	N/A	0
APR 2023	0.6	0.0	0.2	0.1	0.5	0.3	0.4	0.5	5.4	0.1	0.3	0.9	0.2	0.5	7.1	11.1	12.1	3.1	1.0	0.0	0.0	N/A	N/A	1
MAR 2023	0.4	0.0	0.1	0.0	0.3	0.4	0.4	0.1	2.7	0.0	0.3	1.9	0.8	0.8	8.8	13.3	13.1	3.2	1.4	0.0	0.0	N/A	N/A	0
FEB 2023	0.9	0.0	0.2	0.1	0.2	0.6	0.0	0.4	1.2	0.2	0.0	3.7	1.5	1.6	8.6	9.3	13.2	3.7	1.6	0.0	0.0	N/A	N/A	0
JAN 2023	4.1	0.0	0.5	0.5	0.1	1.6	0.7	0.1	0.8	0.3	0.2	1.2	2.0	1.4	8.0	5.9	12.1	3.3	2.9	0.0	0.0	N/A	N/A	0


Data generated using: Respiratory Pathogen Panel (prior to 10/16/23), Rapid Respiratory Pathogen Panel (beginning 10/16/23), RAPID SARS-COV-2 BY PCR (LAB10644), COVID/FLU/RSV Panel (LAB10789), Rapid COVID/FLU PCR Panel (LAB10889),




ACL INFLUENZA positivity rate (Sep 30, 2023 – Dec 9, 2023)



Data generated using: Rapid Respiratory Pathogen Panel (LAB9039), Influenza PCR, COVID/FLU/RSV Panel (LAB10789), COVID/Flu by PCR (LAB10889), and SARS-CoV-2/Influenza by PCR (LAB11071)




https://www.cdc.gov/



https://www.cdc.gov/

ACL SARS-CoV-2 positivity rate (Sep 30, 2023 – Dec 9, 2023)




Data generated using: RAPID SARS-COV-2 BY PCR (LAB10644), COVID/FLU/RSV Panel (LAB10789), prior to 9/17 COVID-19 ANTIGEN TEST (SOFIA) (LAB10715),

post 9/17 LAB10644 performed at WI and IL urgent cares sites, and Rapid Respiratory Pathogen Panel (LAB9039)




New COVID Hospital Admissions from CDC Data (Sep 23, 2023 – Dec 2, 2023)



Data generated from: https://covid.cdc.gov/covid-data-tracker/#maps_new-admissions-rate-state


COVID Hospital Admission Rates Per 100,000 from CDC Data (Week Ending Dec 2, 2023)



Data generated from: https://covid.cdc.gov/covid-data-tracker/#maps_new-admissions-rate-state

December 9, 2023 – TOP 5 SARS-CoV-2 Strains circulating in the Midwest by Nowcast modeling

(Omicron HV.1 – 29.6% \downarrow , JN.1 21.4% \uparrow , EG.5 – 8.8% \downarrow , JD.1.1 7.2% \downarrow , HK.3 7.7% \uparrow)



^{**} CDC uses **Nowcast** model that estimates more recent proportions of circulating variants (actual sequencing data is typically delayed for 2 weeks).

https://www.cdc.gov/


ACL RSV PCR positivity rate (Oct 14, 2023 – Dec 9, 2023)



Data generated using: Rapid Respiratory Pathogen Panel (LAB9039) and COVID/FLU/RSV Panel (LAB10789)


Advocate Children's Hospital Influenza A, Influenza B, RSV, and SARS-CoV-2 PCR

Positivity rates (Sep 30, 2023 – Dec 9, 2023)



Data generated using: Respiratory Pathogen Panel (LAB9955), Rapid Respiratory Pathogen Panel (LAB9039), Rapid SARS-CoV-2 by PCR (LAB10644), COVID/FLU by PCR (LAB10889), COVID/FLU/RSV Panel (LAB10789), 2019 Novel Coronavirus (SARS-CoV-2) LAB10635

AAH WI Hospitals (patients < 18 yrs old) Influenza A, Influenza B, RSV, and SARS-CoV-2 PCR Positivity rates (Sep 30, 2023 – Dec 9, 2023)



Data generated using: Respiratory Pathogen Panel (LAB9955), Rapid Respiratory Pathogen Panel (LAB9039), Rapid SARS-CoV-2 by PCR (LAB10644), COVID/FLU by PCR (LAB10889), COVID/FLU/RSV Panel (LAB10789), 2019 Novel Coronavirus (SARS-CoV-2) LAB10635