# ACL Laboratories Respiratory Virus Activity Report

Updated: February 28, 2024




🕂 🖘 Advocate Aurora Health

RESPIRATORY PATHOGEN POSITIVITY RATE - MARCH 2023 - FEBRUARY 24, 2024																								
MONTH	FLU A UnSub	FLU A (H1N1)	2009 H1N1	FLU A H3N2	FLU B	RSV A/B	PARA 1	PARA 2	PARA 3	Para 4	COR 229E	COR NL63	COR OC43	COR HKU1	SARS- CoV-2	Human META	E/R	Adeno	BOCA	Chlamydo phila	Myco plasma	B. pertussis	B. paraper	Legionella #Pos
FEB 2024	8.6	0.0	3.0	1.3	5.2	3.5	0.0	0.0	0.4	0.1	1.1	0.1	5.0	1.5	9.0	2.5	12.6	4.4	N/A	0.0	0.2	0.1	0.0	0
JAN 2024	11.0	0.0	4.3	1.2	1.6	7.1	0.2	<mark>0.1</mark>	0.4	0.2	0.4	0.0	3.4	0.4	<u>10.5</u>	1.2	7.1	5.2	0.0	0.0	0.4	<mark>0.2</mark>	0.1	0
DEC 2023	11.2	0.0	2.8	1.2	0.8	10.3	0.9	0.3	0.0	0.5	0.2	0.1	2.7	0.4	14.4	0.8	12.7	5.6	0.0	0.0	0.6	N/A	N/A	0
NOV 2023	2.6	0.0	0.5	0.5	0.3	10.2	1.6	0.6	0.4	0.9	0.0	0.0	0.4	0.1	12.5	0.4	16.8	5.7	0.0	0.0	0.5	N/A	N/A	0
OCT 2023	0.6	0.0	0.2	0.0	<mark>0.1</mark>	4.0	2.4	0.8	<mark>0.3</mark>	1.0	0.1	0.1	0.2	<mark>0.0</mark>	8.9	0.5	19.1	2.6	0.3	0.0	0.4	N/A	N/A	2
SEP 2023	0.4	0.0	0.1	0.0	<mark>0.2</mark>	<mark>0.9</mark>	1.2	1.0	0.4	0.4	0.0	0.0	0.1	0.0	11.7	<mark>0.7</mark>	24.0	1.8	<mark>0.5</mark>	0.0	<mark>0.1</mark>	N/A	N/A	1
AUG 2023	0.5	0.0	0.4	0.0	0.2	0.5	0.4	1.4	1.6	0.5	0.0	0.0	0.7	0.0	12.4	2.9	13.3	2.3	0.4	0.0	0.0	N/A	N/A	0
JUL 2023	0.6	0.0	0.0	0.1	0.2	0.4	1.2	1.7	1.5	0.9	0.0	0.3	0.0	0.0	6.5	3.1	11.1	2.4	0.2	0.0	0.0	N/A	N/A	4
JUN 2023	0.5	0.0	0.1	0.0	<mark>0.5</mark>	0.3	0.8	1.6	5.2	<mark>0.0</mark>	0.1	0.1	0.1	0.0	<mark>4.</mark> 6	0.5	11.3	3.5	0.3	0.0	0.0	N/A	N/A	3
MAY 2023	0.6	0.1	0.2	0.0	<mark>0.6</mark>	<mark>0.3</mark>	0.5	1.1	6.8	0.1	0.1	0.9	0.1	0.1	5.8	3.2	17.1	3.2	<mark>0.5</mark>	0.0	0.0	N/A	N/A	0
APR 2023	0.6	0.0	0.2	0.1	0.5	0.4	0.4	0.5	5.4	0.1	0.3	0.9	0.2	0.5	7.1	11.1	12.1	3.1	1.0	0.0	0.0	N/A	N/A	1
MAR 2023	0.4	0.0	0.1	0.0	0.3	0.5	0.4	0.1	2.7	0.0	0.3	1.9	0.8	0.8	8.8	<mark>13.</mark> 3	13.1	3.2	1.4	0.0	0.0	N/A	N/A	0


Data generated using: Respiratory Pathogen Panel (prior to 10/16/23), Rapid Respiratory Pathogen Panel (beginning 10/16/23), RAPID SARS-COV-2 BY PCR (LAB10644), COVID/FLU/RSV Panel (LAB10789), Rapid COVID/FLU PCR Panel (LAB10889),

ACL INFLUENZA positivity rate (Dec 16, 2023 – Feb 24, 2024)




Data generated using: Rapid Respiratory Pathogen Panel (LAB9039), Influenza PCR, COVID/FLU/RSV Panel (LAB10789), COVID/Flu by PCR (LAB10889), and SARS-CoV-2/Influenza by PCR (LAB11071)

#### US National Influenza Positivity Rates – Week 7 ending Feb 17, 2024




https://www.cdc.gov/



https://www.cdc.gov/


ACL SARS-CoV-2 positivity rate (Dec 16, 2023 – Feb 24, 2024)



Data generated using: RAPID SARS-COV-2 BY PCR (LAB10644), COVID/FLU/RSV Panel (LAB10789), prior to 9/17 COVID-19 ANTIGEN TEST (SOFIA) (LAB10715),

post 9/17 LAB10644 performed at WI and IL urgent cares sites, and Rapid Respiratory Pathogen Panel (LAB9039)


#### New COVID Hospital Admissions from CDC Data (Dec 9, 2023 – February 17, 2024)



Data generated from: https://covid.cdc.gov/covid-data-tracker/#maps\_new-admissions-rate-state

#### 🕂 🖘 Advocate Aurora Health


# COVID Hospital Admission Rates Per 100,000 from CDC Data (Week Ending Feb 17, 2024)



Data generated from: https://covid.cdc.gov/covid-data-tracker/#maps\_new-admissions-rate-state

#### February 17, 2024 – TOP 5 SARS-CoV-2 Strains circulating in the Midwest by Nowcast modeling


(Omicron JN.1 96.4% ↑, HV.1 – 1.0% ↓, BA.2 0.4% ↓, BA.2.86 0.5% ↓, JG.3 0.6% ↓)




\*\* CDC uses **Nowcast** model that estimates more recent proportions of circulating variants (actual sequencing data is typically delayed for 2 weeks).

https://www.cdc.gov/


🕂 🖘 Advocate Aurora Health<sup>®</sup>






Data generated using: Rapid Respiratory Pathogen Panel (LAB9039) and COVID/FLU/RSV Panel (LAB10789)

# Advocate Children's Hospital Influenza A, Influenza B, RSV, and SARS-CoV-2 PCR Positivity rates (Dec 16, 2023 – Feb 24, 2024)



**Data generated using:** Respiratory Pathogen Panel (LAB9955), Rapid Respiratory Pathogen Panel (LAB9039), Rapid SARS-CoV-2 by PCR (LAB10644), COVID/FLU by PCR (LAB10889), COVID/FLU/RSV Panel (LAB10789), 2019 Novel Coronavirus (SARS-CoV-2) LAB10635

# AAH WI Hospitals (patients < 18 yrs old) Influenza A, Influenza B, RSV, and SARS-CoV-2 PCR Positivity rates (Dec 16, 2023 – Feb 24, 2024)



Data generated using: Respiratory Pathogen Panel (LAB9955), Rapid Respiratory Pathogen Panel (LAB9039), Rapid SARS-CoV-2 by PCR (LAB10644), COVID/FLU by PCR (LAB10889), COVID/FLU/RSV Panel (LAB10789), 2019 Novel Coronavirus (SARS-CoV-2) LAB10635